


**2013
WATER
QUALITY
REPORT**

PWSID NO. 5040012

BEAVER FALLS MUNICIPAL AUTHORITY

Este informe contiene informacion muy importante sobre su agua beber. Traduzcalo o hable con alguien que lo entienda bien.



The Beaver Falls Municipal Authority (BFMA) is pleased to present to you the WATER QUALITY REPORT for 2013. This report is designed to inform you about the quality water and services we deliver to you every day.

All of our water comes from the Beaver River, which is formed by the confluence of the Mahoning and Shenango Rivers near New Castle. There are also several smaller tributaries, including the Connoquenessing Creek, Pymatuning Creek, and Brush Creek, that feed into the watershed that supplies our water treatment plant.

A 'Source Water Assessment' of our source water was completed in May, 2002. The assessment has found that the Beaver River is potentially susceptible to accidental spills along roads and railways that border the river for almost its entire length. Overall, our source water has a high risk of significant contamination. Summary reports of the assessment can be viewed over the internet by going to this address:

<http://www.elibrary.dep.state.pa.us/dsweb/Get/Document-59389/RS5040012001%20Beaver%20Falls.pdf> or by

contacting the Beaver Falls Municipal Authority. Copies of the complete report are available for review at the PA DEP Pittsburgh Regional Office, Records Management Unit which can be contacted at 412-442-4000.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

In order to ensure that tap water is drinkable, the EPA has set limits through regulations for certain contaminants in drinking water provided by public water systems. These MCL's {maximum contaminant levels} are set at very low levels



The upgrade of the Eastvale Plant with 'plate settlers' was completed in April of 2014.

because of potential adverse health effects to the general public. The Beaver Falls Municipal Authority routinely monitors for contaminants in your drinking water according to Federal and State laws. The following tables show the results of our monitoring for the period of January 1 to December 31, 2013. In the following tables, you will find many terms and abbreviations you may not be familiar with. To help you better understand these terms we have provided the following definitions:

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years, or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (µg/l) - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Running Annual Average (RAA) - mathematical average of analytical data in which four quarterly or twelve monthly results are continuously averaged.

Nephelometric Turbidity Unit (NTU) - nephelometric turbidity unit is a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Continued on page 2

Continued from page 1

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level (MCL) - the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - the highest level of a disinfectant that is allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Minimum Residual Disinfectant Level (MinRDL) - The minimum level of residual disinfectant required at the entry point to the distribution system.

Disinfectant - the chemical additive or process that is used to kill or inactivate pathogens that may be present in the water.

EXPLANATION OF VIOLATIONS

Beaver Falls Municipal Authority had several reporting violations in 2013 which were data-entry errors and do not require a public notification, nor did they affect the quality of water provided to you.

HEALTH INFORMATION:

All drinking water, including bottled water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791). These contaminants can be microbes, organic or inorganic chemicals,

or radioactive materials. Examples of these contaminants are viruses and bacteria from sewage or septic systems and salts and metals from industrial or domestic wastewater discharges. Pesticides and herbicides from agricultural and urban runoff can also be detected periodically in trace amounts. In addition to these, organic chemical contaminants that can come from gas station run-off or from industrial processes such as petroleum production may also be found at times in trace amounts.

IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The BFMA is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.

BOARD MEETINGS:

We at the Beaver Falls Municipal Authority work around the clock to provide top quality water to every tap. In addition to the contaminants listed in this report, many others were tested for and not detected. If you would like further information about the testing or sampling of our tap water, please contact our Production Manager at 724-847-7387 during regular business hours: Monday through Friday, 8:00A.M. to 4:00 P.M. If you want to learn more about the Authority, please attend any of our regularly scheduled meetings. They are held on the fourth Thursday of each month at 7:00 P.M. unless otherwise advertised in the Beaver County Times. You can also visit us online at www.bfwater.net.



Tables

Turbidity Data

Contaminant (Units)	Sample Date	Violation (Y/N)	Level Detected	MCLG	MCL	Likely Source of Contamination
Turbidity (NTU)	Continuous Monitoring	N	100% (a)	0	TT = At least 95% of samples below 0.3	Soil Runoff
			0.129 (7/13/13)	N/A	TT = 1 NTU for a single measurement	

Tables

<i>Inorganic, Synthetic, and Volatile Organic Contaminants</i>							
<i>Contaminant (Units)</i>	<i>Sample Date</i>	<i>Violation (Y/N)</i>	<i>Level Detected</i>	<i>Range</i>	<i>MCLG</i>	<i>MCL</i>	<i>Likely Source of Contamination</i>
Arsenic (ppb)	Oct 2013	N	1.0	N/A	0.0	10.0	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Copper (ppm)	July 2013	N	0.168 (b)	0 – 1.03	1.3	AL = 1.3	Corrosion of household plumbing, erosion of natural deposits
Lead (ppb)	July 2013	N	0.0 (b)	0.0 – 6.0	0.0	AL = 15.0	Corrosion of household plumbing, erosion of natural deposits
Nitrate (ppm)	Oct 2013	N	1.5	1.5	10.0	10.0	Runoff from fertilizer use, Leaching from septic tanks and sewage, erosion of natural deposits
Barium (ppm)	Oct 2013	N	0.039	N/A	2	2	Discharge of drilling wastes, metal refineries; erosion of natural deposits
Nickel (ppb)	Oct 2013	N	1.7	N/A	N/A	N/A	Erosion of Natural Deposits
Sulfate	Oct 2013	N	95.78	71-58-95.78	N/A	250	Erosion of Natural Deposits
Fluoride (ppm)	Oct 2013	N	0.704	0.704	2	2	Erosion of natural deposits; Additive to promote strong teeth; discharge from fertilizer and aluminum factories
Ethylbenzene (ppb)	Sep 2013	N	4.1	N/A	700	700	Discharge from petroleum refineries
Xylenes (ppm)	Sep 2013	N	0.0243	N/A	10	10	Discharge from petroleum factories; Discharge from chemical factories
<i>Distribution Disinfectant & Disinfection By-Products</i>							
<i>Contaminant (Units)</i>	<i>Sample Date</i>	<i>Violation (Y/N)</i>	<i>Highest RAA</i>	<i>Range</i>	<i>MCLG</i>	<i>MCL</i>	<i>Likely Source of Contamination</i>
Chlorine (ppm)	Sampled Monthly	N	1.23 (c)	0.85-1.23	4.0 = MRDLG	4.0 = MRDL	Water additive to control microbes
Chloramines (ppm)	Sampled Monthly	N	1.43 (c)	0.81-1.43	4.0 = MRDLG	4.0 = MRDL	Water additive to control microbes
Haloacetic Acids (ppb)	Sampled Quarterly	N	24.5	9.18--38.3	N/A	60	By-product of disinfection
Total Trihalomethanes (ppb)	Sampled Quarterly	N	54.0	15.4-89.6	N/A	80	By-product of disinfection
<i>Entry Point Disinfection Residual</i>							
<i>Contaminant (Units)</i>	<i>Sample Date</i>	<i>Violation (Y/N)</i>	<i>Lowest Level Detected</i>	<i>Range of Detections</i>	<i>MinRDL</i>	<i>Likely Source of Contamination</i>	
Chlorine (ppm)	Continuous Monitoring (Low in June 2013)	N	0.3	0.3-2.61	0.2	Water additive to control microbes	

Continued on page 4

Tables

UNREGULATED CONTAMINANTS						
Contaminant	Sample Date	Violation (Y/N)	Average Level Detected	Range of Detections	Units	Likely Source of Contamination
1,4,-dioxane (entry point)	Sampled 2 nd & 3 rd quarter 2013	N	5.215	4.21- 6.22	ppb	N/A
Chromium, total (entry point)	Sampled 2 nd & 3 rd quarter 2013	N	0.240	0-0.48	ppb	N/A
Chromium, total (distribution)	Sampled 2 nd & 3 rd quarter 2013	N	0.200	0-0.40	ppb	N/A
Hexavalent Chromium (entry point)	Sampled 2 nd & 3 rd quarter 2013	N	0.105	0.1-0.11	ppb	N/A
Hexavalent Chromium (distribution)	Sampled 2 nd & 3 rd quarter 2013	N	0.0920	0.074-0.11	ppb	N/A
Molybdenum (entry point)	Sampled 2 nd & 3 rd quarter 2013	N	2.950	2.7- 3.2	ppb	N/A
Molybdenum (distribution)	Sampled 2 nd & 3 rd quarter 2013	N	2.600	2.3- 2.9	ppb	N/A
Strontium (entry point)	Sampled 2 nd & 3 rd quarter 2013	N	220	200-240	ppb	N/A
Strontium (distribution)	Sampled 2 nd & 3 rd quarter 2013	N	210	190- 230	ppb	N/A
Vanadium (entry point)	Sampled 2 nd & 3 rd quarter 2013	N	0.335	0.26 – 0.41	ppb	N/A
Vanadium (distribution)	Sampled 2 nd & 3 rd quarter 2013	N	0.295	0.23- 0.36	ppb	N/A
Total Organic Carbon						
Contaminant	Sample Date	Violation (Y/N)	Range of % Removal Required	Range of % Removal Achieved	# of Quarters out of Compliance	Likely Source of Contamination
Total Organic Carbon	Sampled Monthly	N	25-40	32.2—63.5	0	Naturally decaying organic matter

(a) The lowest monthly percentage of samples meeting the turbidity limits specified by DEP regulations

(b) These are 90th percentile results. One of the forty-six samples for lead exceeded the minimum action level. None of the forty-six copper samples exceeded the action level.

(c) DEP regulations require that a 'detectable' amount of disinfectant be maintained in the distribution system at all times.